

Face Shields/Lenses



8 Cal Face Shield Unit

Face Shield	WV-ARC-XL
Cap Bracket	HB-2-CAP
Hard Cap	E2RW-(Color)
COMPLETE KIT	SW-WVK-(Color)



10 Cal Chin Face Shield Unit

Face Shield	WV-CHN-XL-CN
Chin Cup	SW-CN-G
Cap Bracket	HB-2-CAP
Hard Cap	E2RW-(Color)
COMPLETE KIT	SW-WVCK-(Color)

Storage Bag

Fleece lined storage bag with drawstring. Sized to accommodate face shield with hard cap.
Style # SW-SB



Arc Flash Protective Face Shields, Separate Components

Color	Configuration	Face shield only part number	Hood Replacement Face shield w/Velcro	To be used for following product	Coating
Extra light green	Single pane	WV-ARC-XL	n/a	8 cal face shield	Anti-fog
Extra light green	Single pane	WV-ARC-XL-CN	n/a	10 cal face shield w/chin	Anti-fog
Extra light green	Single pane	WV-ARC-XL	WV-ARC-XL-R	12 cal hood	Anti-fog
True color green	Single pane	WV-ARC-TC	WV-ARC-TC-R	20 cal hood	Anti-fog
True color green	Dual pane	WV-ARC-TC2	WV-ARC-TC2-R	36 cal hood	Anti-fog
True color green	Dual pane	WV-ARC-TC2	WV-ARC-TC2-R	40 cal hood	Anti-fog
Amber	Single pane	WV-ARC-AM	WV-ARC-AM-R	51 cal hood	Anti-fog
Amber	Dual pane	WV-ARC-AM2	WV-ARC-AM2-R	74 cal hood	Anti-fog

Head Gear and Cap Brackets



High Temperature Ratchet

Adjustable, higher temperature applications.

6" Spark Guard

Part # HG-6-HT

Adjustable Ratchet

3" Spark Guard

Part # HG-3-R

Gold Window

10"x20"x.060" formed Lexan. Metallized gold on clear. High temperature, radiant heat reflection, UV and infrared protection. Window only.

Style

Metallized Gold on Clear

Part # WV-647-GOLD



Brackets

Description	Part Number
Universal Cap Bracket	HB-2-CAP
Slotted Cap Bracket	HB-2-SLT
Universal Hat Bracket	HB-2-UNV



Snakebite Protection/Finger Guards

Heavy shoes are recommended for foot and ankle protection.



Snakeproof Chaps



13045—Inseam
Cordura® nylon available in regular (25" thigh) or husky (28" thigh) and 27"- 30", 30"- 33", 33"- 36" inseams.

Plastic Snake Leggings



130464
19" front, 15" back.
Hard plastic. Molded in shape.
Olive color.

Canvas Snake Leggings



130460
17" front, 12" back.
With webbing and buckles.

Finger Guards

A G-7018-CE

Grain leather, closed end, wrap around

B S-7018-CE

Split leather, closed end, wrap around

C G-7002-OE

Grain leather, open end

D SF-7000-657-OE

Split leather, open end

E G-7012-CE

Grain leather, closed end, flat

F S-7012-CE

Split leather, closed end



A B C



D E F

Steel-Studded Guards

From left to right, below

H-7005-OE

Grain leather, horizontal steel studding

V-7007-OE

Grain leather, vertical steel studding

D-7022-OE

Grain leather, diagonal steel studding



SF-7000-657-OE

Split leather, open end

Thumb Guards

(Not pictured)

ST-7000-OE

Split leather, open end

S-7019-CE

Split leather, closed end, wrap around

GT-7000-OE

Grain leather, open end

G-7019-CE

Grain leather, closed end, wrap around

Finger guards are available in a variety of fabrics and styles. For example Kevlar®, wool, rubber and cotton. Please call our customer service department with any questions you may have.



Chainsaw Protection

Chainsaw Chap

Multi-layered Kevlar® with Cordura® nylon outer shell. Two-inch wide heavy nylon belt with adjustable quick release Nexus® clip. Five-compartment tool pocket with snap flap closure. Made in accordance with U.S. Forest Service Specification No. 6170-4E. Designed to clog and block the cutting chain. Added protection is provided if the Kevlar® material is pulled into the drive sprocket, jamming it. U.S. Forest Service tests show protection up to 3,300 feet per minute. Chap is not a substitute for safe operating procedures. It is the buyer's responsibility to determine if this product will be adequate protection.

Measure length from waist down.

2600-28" 2600-36"
2600-32" 2600-40"



Chainsaw Gloves

CSG-3

Grain pig leather palm. Back is 1-ply Kevlar® jersey and 3-ply ballistic Kevlar®.

Available in sizes XS-XL.



Metatarsal Guard



LW-800

Wear with steel toe safety shoes to extend impact protection to instep. Aluminum alloy with rubber padding.

Foot Guard



LW-200

Protect entire front of foot from impact hazards. Aluminum alloy, rubber strap, rubber toe clip.

Steel Toe Guards



LW-702

Steel guard for maximum toe protection. Quick fastener, adjustable web strap.

Shin Guard



LW-303

Aluminum alloy, padded top and bottom, fastened with web straps.

Shin-Instep Guard



LW-323

Aluminum alloy, padded with sponge rubber. Fastened with web straps.

Knee-Shin-Instep Guard



LW-334

Plastic, padded with sponge rubber. Fastened with web straps.

Plastic Toe Guard



LW-505

Lightweight toe protection. Does not replace steel toe shoe protection.